

INNOVATIVE SKIRTING  
SYSTEM

NOOX





**WITHOUT** ASSEMBLY CLIPS



**WITHOUT** CORNERS AND CONNECTORS



UP TO **50% LESS** CUTS




**FLEXIBLE** SKIRTING



UP TO **30% SHORTER** ASSEMBLY TIME



**HIDDEN CABLING** AVAILABLE




**DOWELS** ASSEMBLY

NOOX

## **CUT AT A 45°**

EDGES CREATE PERMANENT  
AND INVISIBLE JOINTS



**TURN AND MATCH**  
ON ALL POSSIBLE WAYS









**OUTSIDE**  
CORNER

**INTERNAL**  
CORNER



**DOUBLE-SIDED INSERT**  
TURN THE INSERT TO CHANGE  
THE LOOK OF SKIRTING






HEIGHT  
**70 mm**



HEIGHT  
**90 mm**



DO NOT CHANGE SKIRTING  
AFTER RENOVATION  
**TURN THE INSERT** AND USE  
WHITE COLOR ON THE OTHER SIDE





# NOOX

[www.noox.classen.pl](http://www.noox.classen.pl)

[www.classen.pl](http://www.classen.pl)

**CLASSEN**

**Classen Floor Systems Sp. z o. o.**

ul. Wyzwolenia, 44-292 Zwonowice k. Rybnika  
tel.: +48 (32) 429 20 00, fax: +48 (32) 429 22 00

---

This catalog is not a commercial offer within the meaning of commercial law.  
Classen Floor Systems Sp z o.o. reserves the right to change and improve products  
presented in the publication without prior notice.

The information contained in this catalog is current at the time of going to print. The  
color reproduction in the publication may differ from the products being sold.